



EASYFIT®

Prince Easyfit UPVC pipes are known for usage in Swimming Pools, Residential complexes specifically in kitchen. These are non-toxic and lead-free piping system used for which makes them a safe material for potable water. Prince has recently launched Easyfit Schedule 40 Plus fittings for higher pressure applications.

- Pipes: 15 to 250mm (1/2 to 10 inch)
- Fittings: 15 to 150mm (1/2 to 6 inch)



FEATURES



Proven performance for water temperature from 5°C to 60°C



Lead-free material ensures safe drinking water



Self-extinguishing. Does not support combustion



Fast and easy installation. Save labour

ENQUIRE NOW

APPLICATION



Indoor and outdoor installations of cold water plumbing lines



Reducing Male Threaded Adaptor - (Plain) (Sch 80)



RO and DM water plants



For concealed, down take & terrace looping



Public utilities, swimming pools & industrial applications



Residential complexes, commercial buildings

PIPES



EXPLORE NOW

FITTINGS

All

Moulded

Fabricated

Brass Inserts

UPVC Solvent Cement



NEW

MOULDED FITTINGS
Coupler



NEW

MOULDED FITTINGS
Elbow




MOULDED FITTINGS
Elbow 45° (Sch 80)



NEW

MOULDED FITTINGS
Equal Tee



MOULDED FITTINGS
Union (Sch 80)



MOULDED FITTINGS
End Cap



MOULDED FITTINGS
Four Way Tee (Sch 80)



MOULDED FITTINGS
Male Threaded Adaptor (Sch 80)



MOULDED FITTINGS
Female Threaded Adaptor (Sch 80)

ENQUIRE NOW



MOULDED FITTINGS
End Plug (Sch 80)



MOULDED FITTINGS
Extended End Plug (Sch 80)



MOULDED FITTINGS
Pipe Clip (Sch 80)



NEW

MOULDED FITTINGS
Tank Connector (Sch 80)



MOULDED FITTINGS
Tank Connector (Short Body) (Sch 80)



MOULDED FITTINGS
Tank Connector (Plain)



NEW

MOULDED FITTINGS
Flange With Socket (1pc) (Sch 80)



NEW

MOULDED FITTINGS
Blind Flange (1pc) (Sch 80)



ENQUIRE NOW

MOULDED FITTINGS
Reducer (Sch 80)



NEW

FABRICATED FITTINGS
Reducing Bush



FABRICATED FITTINGS
Reducing Tee



FABRICATED FITTINGS
Red. Female Threaded Adapt (Sch 80)



FABRICATED FITTINGS



FABRICATED FITTINGS



FABRICATED FITTINGS



FABRICATED FITTINGS
Cross Over (Sch 40)



FABRICATED FITTINGS
Bend 90°



BRASS INSERTS FITTINGS
Male Threaded Adaptor - Head (Sch 80)



BRASS INSERTS FITTINGS
Male Threaded Elbow (Sch 80)



BRASS INSERTS FITTINGS
Male Threaded Tee (Sch 80)



BRASS INSERTS FITTINGS
Female Threaded Adaptor (Sch 80)



BRASS INSERTS FITTINGS
Female Threaded Elbow (Sch 80)



BRASS INSERTS FITTINGS
Female Threaded Tee (Sch 80)



BRASS INSERTS FITTINGS
Female Threaded Bush (Sch 80)

ENQUIRE NOW



BRASS INSERTS FITTINGS
Ball Valves (Sch 80)



UPVC SOLVENT CEMENT FITTINGS
Tin

NEW



UPVC SOLVENT CEMENT FITTINGS
Solvent Cement (Heavy) (Tin)

NEW



MOULDED FITTINGS
Red Bush

NEW



MOULDED FITTINGS
Reducing Male Threaded Adaptor -
(Plain) (Sch 80)

NEW

UPVC SOLVENT CEMENT FITTINGS
Plastic Strip P.T.F.E Tape

UPVC Cold Water Pipe Installation video - Prince Easyfit



ENQUIRE NOW

DO'S & DONT'S



- About Us
- Company Profile
 - Management Team
 - Infrastructure
 - Our Journey
 - Strategic Distribution
 - Awards & Achievements
 - Research & Development

- Product Range
- Plumbing
- FLOWGUARD PLUS
 - EASYFIT
 - EASYFIT RE
- Industrial
- GREENFIT
 - GREENFIT BLUE
 - EASYFIT iN (COMING SOON)
- SWR (Sewage)
- SILENTFIT
 - ULTRAFIT
 - RAINFIT

- Underground
- FOAMFIT
 - DRAINFIT
 - DRAINFIT INSPECTION CHAMBERS
 - CORFIT
 - CORFIT INSPECTION CHAMBERS
 - DURAFIT
- Water Storage Tanks
- STOREFIT
- Cable Ducting
- CABLEFIT

- Investor Center
- Financials
 - Latest Updates
 - Corporate Governance
 - Shareholder's Corner
 - Unpaid & Unclaimed Dividend
 - Investor Contact
 - General Meeting
 - Analyst Coverage

- News & Media
- In the News
 - Video Gallery
 - Events Gallery

- Sustainability
- Innovations
- Resources



